CERTIFICATE OF ACC TANCE OF PRICES IN THE REQUEST FOR QUOTATION OF BIDS & AWARDS COMMITTEE CITY GOVERNMENT OF CALAPAN

We the undersigned members of the Committee on Award, after careful deliberation on several prices quoted in the shopping/bidding for medical and equipment supplies (reagents) for CHSD Dental and Laboratory sections as can be seen in the herein attached abstract of prices, hereby unanimously decide to accept the bids itemized there under for being the Single Calculated Responsive Bid (SCRB) to the government and awarding the same to the respective bidders.

The Items Awarded to:

TOUCHSTAR MEDICAL ENTERPRISES INC.

PHILGEPS No. 202108266377478887815

NO.	QTY.	UNIT OF	ITEM & DESCRIPTION	UNIT PRICE	TOTAL PRICE
2	1	bx	CBS-4 Control	5,897.00	5,897.
3	2	kits	Cholesterol	5,987.92	11,975.
4	1	bx	Cleanac - 3	13,879.00	13,879.
5	1	bx	Cleanac (Detergent)	13,879.00	13,879.
6	1	kit	Creatinine	3,390.00	3,390.
7	8	gals	Distilled Water	437.00	3,496.
8	3	bots	Gluco Plus 75mg	277.00	831.
9	1	kit	Glucose	6,233.10	6,233.
10	2	kits	HDL Cholesterol	9,897.00	19,794.
11	5	bxs	Isotanac - 3 (Diluent)	12,024.00	60,120.
12	3	bxs	LANSOBIO HBA1c	6,497.00	19,491.
13	5	bxs	Microtainer Tube	1,497.00	7,485.
14	1	bx	SGOT	3,460.00	3,460.
15	1	bx	SGPT	3,460.00	3,460.
16	5	bxs	Syringe 1cc	1,097.00	5,485.
17	5	bxs	Syringe 3cc	977.00	4,885.
18	1	kit	Triglycerides	6,446.00	6,446.
19	1	kit	Urea	3,969.69	3,969.
20	1	kit	Uric Acid	9,740.00	9,740.
21	1	bx	Wash Concentrate	19,997.00	19,997.
			TOTAL		243,910.0

IN WITNESS WHEREOF, we hereby affix our signatures this

4AY 8 2 2324

in the City of Calapan.

Engr. MØSS L. SIMBAHAN

Engineer II BAC Member EnP. DULCE AMOR E. LAO

Planning Officer III BAC Member REY DANIEL S. ACEDILLO

City Legal Officer BAC Member

Dr. FEBY DARIC, MANGLICMOT

City Veterinarian BAC Vice - Chairperson Engr. BENJAMIN L. ACEDERA

City Engineer BAC Chairperson BASILISA M. LLANTO, MD

Printed Name and Signature of End User
MOOE-06 City Health Officer

Approved by:

MARILOU F. MORILLO City Mayor

Award 2021 v.0